

UNINSULATED RING SHAPED LUGS – QKS

QKS

30804.0

QKS 1/U/M2,5, 1mm² Seamed cable lug, M2.5

- Heat resistant up to 125 °C
- Soldered; DIN EN13599
- Size range 0.5 mm²...240 mm²
- Seamed version



PRODUCT DESCRIPTION

Conta-Clip continues to add to their portfolio with the addition of un-insulated lug terminals to complement their extensive range of stud terminals.

The galvanised QKS seamed ring shaped lugs start at 0.5mm² through 240mm² (M2.5/M16).

To complete the range, a selection of un-insulated SKS pin crimp and STV butt connectors are also available.

TECHNICAL DATA

GENERAL DATA

Colour	Natural
Rated wire cross section to (AWG)	18
Rated wire cross section from (AWG)	20
Ring hole diameter	2,7 mm
Metric connecting thread size	M 2,5
Conductor shape	Ring shape acc.DIN 46234
Cross section max	1 mm ²
Cross section min	0,5 mm ²

DIMENSIONS

Width of ring	6 mm
Diameter of feed-in funnel	1,6 mm
Stripping length	4,8 mm

Length to middle of ring	10,8 mm
Length of feed-in funnel	4,8 mm

MATERIALS

Operating temperature to	125 °C
Soldered	Yes
Conductor material	Copper
Contact surface	Tinned

APPROVALS

DIN approvals	EN 13599
---------------	----------

ADDITIONAL DATA

Pack size	100
Country of origin	TW
Tariff code	85369010
Weight	0,63 g

