


**SYNTEC POLYAMIDE PA 6**

Syntec®

1555.12.06

Gland Syntec synthetic, M12, ø2.5...6.5mm

- Trapezoidal strain relief
- Lamellar technology
- -30°C...+100°C
- Halogen free
- IP68

**PRODUCT DESCRIPTION****TECHNICAL DATA****GENERAL DATA**

<b>Colour</b>	Grey RAL 7035
<b>Cable diameter min</b>	2,5 mm
<b>Thread Size (G)</b>	M12
<b>Cable diameter max</b>	6,5 mm
<b>IP class</b>	IP 68
<b>Insert Type</b>	One-Piece

**DIMENSIONS**

<b>Thread pitch</b>	1,5
<b>Height (H)</b>	21 mm
<b>Spanner width (AF)</b>	15 mm
<b>Thread length</b>	6 mm

**MATERIALS**

<b>sealing ring material</b>	TPE
<b>Material</b>	Polyamide

Temperature range

-30°C ... +100°C

## APPROVALS

Strain relief

Version A acc. to EN 62444

Approvals

CE, cRUus, cULus, DNV, EAC, VDE

## ADDITIONAL DATA

Pack size

100

Country of origin

DE

Tariff code

39269000

Weight

3,75 g

