


EDAC INTERFACE MODULES

OE-E

15350.2
 OE-E38/36R, 36 way EDAC Interface module, 516-038
 Right, screw terminals

- EDAC 516 compatible with ELCO 8016
- Offset Plug arrangement
- Left and Right versions
- TS32/TS35 mounting



PRODUCT DESCRIPTION

The OE interface modules make use of the EDAC "hermaphrodite" multi-pole plug (Series 516) on screw connections. This results in excellent shock and vibration resistance. The offset arrangement of the connector means that the neighbouring modules will not be impaired and is available in left and right handed versions.

The EDAC connector is 100% compatible with the ELCO 8016 connector series

TECHNICAL DATA

GENERAL DATA

Connector type	ELCO 8016 - EDAC 516
Connection type	Screw
Number of connections	1
Number of poles	36 + PE

DIMENSIONS

Height TS 35/7.5	72 mm
Length	122 mm
Width	107 mm

CONNECTION DATA

Cross section single wire from	0,2 mm ²
Cross section stranded with ferrule from	0,2 mm ²
Pin header and position	516-038 right

Cross section stranded with ferrule to	2,5 mm ²
Stripping length	7 mm
Cross section single wire to	2,5 mm ²
Torque	0,6 Nm

RATINGS

DIN-VDE Spec	DIN VDE 0110 EN 50178
Current carrying capacity per channel max	2 A
Operating temperature from	-20 °C
Operating voltage ac/dc max	250 V
Operating temperature to	50 °C
Contamination degree	2
Rated current	36 A
Overvoltage category	III
Test voltage eff	0,8 kV

ADDITIONAL DATA

Pack size	1
Country of origin	NL
Tariff code	85369010
Weight	264 g