

COMPACT DISTRIBUTION BLOCKS

RPU, RPT

RPT3000
3 Pole Compact Distribution Block - RPT 125

- Separate inputs
- Easy wiring
- Galvanised steel screws included
- Quick hook up on DIN rails
- UL Listed 302208



PRODUCT DESCRIPTION

Teknomega offer a variety of distribution blocks which are used in terminal board distribution units. These include single blocks and compact blocks permitting the units to range from 40 A up to 400 A.

With various applications the blocks are used in switchboards, automation and command panel boards and distribution panel boards.

Compact distribution blocks

Ranging from 80 A to 400 A and 1 and 3 pole the blocks suit applications where the effective short-circuit current value ($I_{cc\ eff}$) is higher than 10 kA.

Each block reaches UL approval standards.

TECHNICAL DATA

GENERAL DATA

IP class	IP20
Nominal insulation voltage	600 V
Short-circuit current resistance IPK (peak value)	30 kA
Short-circuit current resistance ICW over 1s	4,4 kA

CONNECTION DATA

Input A: wire cross-section stranded, min.	10 mm ²
Connections	7
Number of outputs A	6

Input A: wire cross-section with wire-end ferrules, max. 35 mm²

Input A: wire cross-section stranded, max. 35 mm²

Output A: wire cross-section stranded with wire-end ferrules, max. 16 mm²

Input A: wire cross-section with wire-end ferrules, min. 10 mm²

Output A: wire cross-section stranded, max. 16 mm²

Screw type Galvanized steel screws

Output A: wire cross-section stranded, min. 2,5 mm²

Number of inputs A 1

Output A: wire cross-section stranded with wire-end ferrules, min. 2,5 mm²

DIMENSIONS

Width (C) 48 mm

Length (B) 85 mm

Height (A) 75 mm

ADDITIONAL DATA

Pack size 1



