



DOGA 258 - DC WIPER MOTOR

Right angle worm gearbox, IP53

258.1710.20.00

Worm gearmotor 12 V dc, 15 Nm, 25 rpm, 10 A, EMC filter

- 12 - 24Vdc
- Up to 15Nm
- Up to 40rpm
- Compact low noise design
- High starting torque



PRODUCT DESCRIPTION

The DOGA 258 series uses a brushed DC motor with worm gearbox and is developed to provide a compact, low noise and cost-effective solution to suit many industrial applications.

The standard hardened plastic worm wheel offers smooth, low noise operation and good performance, along with durability. IP53 is standard, with an EMC filter option.

VOLTAGE: 12 / 24Vdc supply - ideally suited to **battery powered** and **mobile applications**.

TORQUE: >15Nm nominal, >80Nm starting – a good choice for applications requiring **high start-up power**.

SPEED: 25 - 40rpm options using a range of motor/gearbox combinations.

For modest quantities DOGA can offer **product customisation** to better suit the individual needs of the customer and application. Adaptations can include changes to the output shaft, supply voltage, gear wheel material, cabling/connectors, gear ratios and motor windings.

Typical applications include:

- **Agriculture**
- **Building access**
- **Care aid**
- **Medical**
- **Office equipment**
- **Marine**
- **General industrial automation**

TECHNICAL DATA

Current max	42 A
EMC filter	Yes
IP class	IP53

Max. torque	80 Nm
Nominal current	10 A
Nominal speed	25 rpm
Nominal torque	15 Nm
Positioning feedback	No
Ratio	52:1
Shaft diameter	16 mm
Supply voltage	12 V DC
Type of gearbox	Worm
Type of wheel	Plastic
Weight	3 kg



