

OEM Automatic Ltd

Address: Whiteacres, Whetstone Leicester, LE8 6ZG 0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

DC SWITCHING MODULE

DCM 010

01010.0-00 DCM 010 switch module, DC 15 A

- For high DC loads
- Suitable for many applications
- Wide DC voltage range
- Easy connection





PRODUCT DESCRIPTION

This electronic switching relay is used to switch high DC loads in cabinets with the help of a power MOSFET. These loads are commonly panel heaters & coolers.

The relay is controlled via an external volt free contact from a thermostat or hygrostat, which is connected to terminals 3 and 4, the load is then connected to terminals 1 and 2, with the power connections are 5 and 6.

NOTE! It must be ensured that the external connector is suitable for changing the signal current (see technical data in the datasheet).

TECHNICAL DATA

GENERAL DATA

Mounting	Clip on, DIN rail
Voltage max	56 V dc
Connection type	6-pole terminal
Voltage min	20 V ac
Breaking capacity	DC 15 A

DIMENSIONS

Weight	0,65 kg
Depth	44 mm
Width	53 mm
Height	93 mm

MATERIAL

Material of body	Plastic
------------------	---------

RATED OPERATING CONDITIONS

Operational temperature	-30°C +40°C
Storage temperature	-40°C +80°C
Life span	>100,000 cycles
Humidity storage	<90% RH
Operating humidity	< 90% RH

SAFETY AND APPROVALS

IP class	IP20
Approvals	CE, cRUus, EAC, RoHS, UL, VDE











