



## DATALOGIC POWERSCAN PM9600 SERIES

PM9600-HP433RB  
 PowerScan PM9600-HP, High Performance, 433 MHz,  
 Removable Battery

- Detects 1D and 2D code types
- Reads up to 2.5/3 mils 1D codes and 4/6 mils 2D codes
- 80,000 reads per charge
- Interfaces: RS-232, Keyboard wedge multi-interface, industrial and ethernet protocols



### PRODUCT DESCRIPTION

### TECHNICAL DATA

<b>1D Code types</b>	Auto discriminates all standard 1D codes
<b>2D Code Types</b>	Aztec Code, China Han Xin Code, Data Matrix, MaxiCode, Micro QR Code, QR Code, Dot Code
<b>Approvals</b>	RoHS
<b>Charge time</b>	3.2hrs @ 12VDC
<b>Colour</b>	Black/yellow
<b>Dimension (mm)</b>	19.8 x 14 x 7.9
<b>Immunity to ambient light</b>	0-100,000 lux
<b>IP class</b>	IP67, IP65
<b>Kit</b>	No
<b>Postal Code Types</b>	China Post, IMB, KIX Post, Planet Code, Postnet, Royal Mail Code (RM4SCC), Australia Postal, Japan Postal, Portuguese Post, Swedish Post
<b>Readable code types</b>	1D / Linear Codes, 2D Codes, Postal Codes, Stacked Codes, Digital Watermarking
<b>Reads per charge</b>	80000
<b>Resolution</b>	4 mils
<b>Stacked Code Types</b>	EAN/JAN Composites, GS1 Databar Composites, GS1 Databar Expanded Stacked, GS1 Databar Stacked, GS1 Databar Stacked Omnidirectional, Macro PDF, Micro PDF 417, PDF 417, UPC A/E Composites
<b>Storage temperature max</b>	70 °C
<b>Storage temperature min</b>	-40 °C

<b>Temperature operational max</b>	50 °C
<b>Temperature operational min</b>	-20 °C
<b>Weight</b>	425 g
<b>Wireless</b>	Yes